

Packing instruction

ESCM/CSCM/Back Up



1. Remove the 2 pins on the top of the dust cover
2. Remove the cover and the front plate and put them back together with the 2 pins.



3. Firmly press the plate on the front of the backrest with your thumb, and pull the backrest upwards and out of the mechanism.



4. Pack the backrest and the dust cover separately.



5. Place the chair, the backrest and the dust cover in the box.
To protect the chair, please cover the handles and the seat with a piece of plastic.

Make sure that there are no parts sticking out of the box!

Packing instruction

Dynamic in the box



1. Place the back support in the highest position using the highest knob behind the back support.



2. Fold the back support by pushing it to the front.



3. Adjust the height of the chair so that it would fit into the box. (the highest part just under the edge of the box).



4 Cover the chair with foil.

Make sure that there are no parts sticking out of the box.

Close the box with a wide tape.

Packing instruction


ESDL/CSDL



1. Turn the knob to loosen the backrest
2. Press the button on the bottom of the backrest.
3. Pull the backrest out of the mechanism.



4. Cover the backrest in plastic/bubble wrap.



5. Place the stool in the box. Make sure the top of the seat is just below the edge of the box



6. Place the backrest at the bottom of the box and cover the stool with a piece of plastic/bubble wrap.

Packing instruction

Make sure that there are no parts sticking out of the box.